

Lead2passExam

> Contact Us Login / Register Search...

Lead2passExam

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (1)

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.
365 days free updates. First attempt guaranteed success.



Select a vendor...

Select an test...

Your email address

Free Download Demo

Top Certifications

- ▶ IBM Cognos ▶ Linux Essentials ▶ Magento Certified Developer Plus ▶ BCS Certification
- ▶ Citrix NetScaler ▶ Nokia Networks Certification ▶ Solutions Expert
- ▶ VCAP6-DCV Deployment ▶ Oracle Sales Cloud 2016 Certified ▶ Oracle Service Cloud
- ▶ CCP-N ▶ IBM Certified Mobile System Administrator ▶ Windows 7 ▶ APC Certification
- ▶ HPE Sales Certified

Top Vendors

- ▶ Logical Operations ▶ TIA ▶ Pegasystems ▶ IISFA ▶ Mile2 ▶ 3COM ▶ Altiris ▶ IIA
- ▶ AccessData ▶ Avaya ▶ BACB ▶ Nokia ▶ RAPS ▶ McAfee ▶ Professional Tests
- ▶ Mile2-Security ▶ CIPS ▶ Legato ▶ ASQ ▶ QlikView ▶ NSCA ▶ PSAT ▶ HRCI
- ▶ WorldatWork ▶ Guidance Software

What Client's Say

“ Passed the exam yesterday, but 10 questions new not came from this dump. every other questions are same. Totally valid. ”



Roy
★★★★★

“ This is still valid. Passed today with 80%. looked like 3-4 new questions. Many thanks! Good braindumps ”



Vic
★★★★★

<http://www.lead2passexam.com/>

Available Exam Cram and Valid Dumps - Lead2Pass Exam

Exam : HP0-794

Title : Implementing Windows Server 2003
on HP ProLiant Cluster Solutions

Vendors : HP

Version : DEMO

NO.1 Which description accurately depicts an HP Multi-Server Card?

A.It supports up to 64 network devices within a single UPS group and provides unattended, sequential

shutdown of every device in that group, regardless of the operating system.

B.It enables each load segment to function as a separate UPS with individual shutdown schedules and

load segment configurations.

C.It detects and warns users of power failures and manages a safe system shutdown before the backup

power supply is exhausted.

D.It allows for the safe installation of new batteries through the front panel, without powering down the

connected equipment.

Correct:B

NO.2 The ProLiant DL380 Packaged Cluster with MSA500 supports how many additional storage

enclosures?

A.0

B.1

C.2

D.3

Correct:C

NO.3 Which HP PCI-to-Fibre Channel host bus adapter (HBA) uses the small form factor transceiver

connection and supports the MSA1000?

A.32-bit/33MHz HBA using the Tachyon chipset

B.64-bit/33MHz HBA using the Emulex chipset

C.64-bit/66MHz FCA-2101 HBA using the QLogic chipset

D.64-bit/66MHz HBA using the Tachyon chipset

Correct:C

NO.4 What is the maximum number of drive letters per cluster for shared drives with Microsoft

Windows Server 2003?

A.18

B.19

C.20

D.23

Correct:D

NO.5 What is least likely to fail in a Windows Server 2003 network environment?

A.hardware

B.applications

C.operating system

D.operational issues

E.infrastructure (building, power, network)

Correct:A

NO.6 Cluster.exe can be used to _____.

A.launch the Cluster Monitor utility

B.administer clusters

C.launch Microsoft Cluster Administrator

D.power down the cluster

Correct:B

NO.7 Which SQL Server clustering requirement changed between SQL 7.0 and SQL 2000?

A.Only licenses for the first node in the cluster were required for SQL 7.0; all nodes must have licenses for SQL 2000.

B.Multiple virtual SQL servers could not run on the same set of disks for SQL 7.0, but can run on the same set of disks for SQL 2000.

C.Binaries are on the shared disk for SQL 7.0, but on the local disk for SQL 2000.

D.Microsoft Transaction Server and Microsoft Queue Manager are no longer included as components of SQL 2000.

Correct:C

NO.8 Which tasks have been identified by HP as important when planning network capacity and the

graceful failover and failback of cluster resources and services? Ensure that: _____. Select TWO.

A.each cluster node has processors of sufficient speed to handle the maximum client load of the entire

cluster

B.the surviving node network speed and protocol will handle the maximum number of I/Os necessary to

support critical services

C.the throughput of the NIC on the surviving node is sufficient to handle the maximum network load for

peak load cluster services

D.each individual cluster node can handle the maximum number of clients that can attach to the cluster

E.the shared storage capacity is sufficient to handle the load of the entire cluster

Correct:B D

NO.9 Which adjustments should be made to the network adapter that has been set to Internal Cluster

Communications Only? Select THREE.

A.Designate the adapter as the primary NIC in a fault-tolerant team.

B.Remove all protocols other than TCP/IP and disable the Media Sense feature.

C.Set the adapter to a specific speed of 10Mb/s or 100Mb/s.

D.Set the adapter to use NetBIOS.

E.Set the adapter duplex mode to half duplex.

F.Use the auto-detect setting on the network adapter for the private interconnect.

Correct:B C E

NO.10 The HP ProLiant DL380 Packaged Cluster with MSA1000 supports how many additional storage

enclosures?

A.0

B.1

C.2

D.3

Correct:C